

PRODUCT USE GUIDE FOR NOVALITE BN204

Product Description

A neutral low foam carpet shampoo for use in hot water extraction machines.

Direction for Use

Always first test carpet for colourfastness. Based on capacity of the machine's solution tank, pour in sufficient 'NOVALITE' Shampoo, then top up with hot water. Use 'NOVALITE' in the Solution/Supply Tank. Operate the machine as recommended by its manufacturer.

- A pressurized stream of solution is sprayed onto the carpet. Almost instantaneously, the excess moisture and dirt are removed by suction. 'NOVALITE' is a concentrated, low-foaming additive which improves the cleaning power of the equipment. Easily diluted and very economical, it cleans well, even softening many water-soluble and oil-soluble stains. Dilution Rates (Depending on degree of soil)
- Use up to 20ml of 'NOVALITE' per litre of solution tank capacity.

Storage

- Store in cool conditions away from direct sources of heat
- Avoid extremes of temperature
- Do not allow to freeze
- Ensure the cap is tightly fitted after use
- Keep out of reach of children

Shelf Life

- Shelf life 24 months, if stored as recommended.
- Use within 6 months of opening.

Environmental

- Do not allow large quantities of neat liquid to enter surface waterways.
- This product uses recyclable packaging. The detergents used in the formulation are biodegradable to EU guidelines under the detergents regulations (EC) No 648/2004.
- It contains no Phosphates.
- None of the components of this product are animal derived.



Cleenol Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561
Email: sales@cleenol.co.uk
www.cleenol.co.uk



Certificate No. 316



Certificate No. E3539

PRODUCT USE GUIDE FOR
NOVALITE
BN204

For further information please scan your QR Smart Reader here



Code Nos.

BN2047 2x5L

Data Sheet No. BN204

Note: This product is only to be used for the purpose for which it was intended and in accordance with the specified instructions. This product should never be mixed with other chemical products and should be handled with care and stored carefully out of reach of children.



Cleenol Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561
Email: sales@cleenol.co.uk
www.cleenol.co.uk



Certificate No. 316



Certificate No. E3539

