

## PRODUCT USE GUIDE FOR DESCALER & TARNISH REMOVER K13

### Product Description

Enables rapid removal of scale deposits, metal tarnish, hard water scale and rust from ferrous metals and brightens aluminium and chrome surfaces. The properties of this product enable it to be used extensively in the catering and food industries for general purpose cleaning and maintenance and also in the leisure industry for the descaling of pool sides, shower areas and changing rooms etc. along with the removal of body fats. Can also be used to restore colour to Linoleum.

### Product Features

- Food safe.
- Suitable for use on stainless steel
- Suitable for use on all plastics.

### Direction for Use

**Always consult the health and safety data sheet before commencing. We recommend the use of eye shields, suitable face mask and gloves.**

- Add 1 part product to 5 parts water. **Always add acid to water, not water to acid.**
- Apply by swab, brush, trigger spray or immersion. Allow for removal of scale or tarnish.
- Thoroughly rinse components after treatment with clean water. Do not allow prolonged contact.
- Repeat descaling process if necessary.
- When descaling kettles or urns, do not boil. Use at room temperature only.
- For dishwashers use a 50:50 solution in a labelled trigger spray bottle (available upon request) produced by half filling the trigger bottle with cold fresh water, then topping up to the mark with Descaler.. Continue to apply to scale until fizzing has ceased, carry out wash cycle with no load to completely remove any traces of product. Repeat if necessary.
- For medium to light scaling of swimming pool sides dilute 1 part product to 5 parts water. For severe scale use undiluted. Apply using mop cloth or machine, taking care to minimize any contamination of the pool. Leave a few minutes allowing to react, repeat if required. Rinse well with clean water.
- Colour Restoration of Linoleum  
Apply a 50:50 dilution with water to affected areas. Thoroughly wet scrub with green nylon pad under floor machine. Rinse and allow to dry before dressing.
- For use through a lance, dilute 1 part product to 7 parts water.

**Caution: This product is acidic and will damage carpets and textiles. If spillages occur, remove the surplus acid with a damp cloth and neutralize as soon as possible with washing soda or baking soda. Clean thoroughly with a proprietary carpet shampoo. Contact with bleach based products may produce toxic chlorine gas.**

### Storage

- Store in cool conditions away from direct sources of heat
- Avoid extremes of temperature
- Do not allow to freeze



#### Cleenol Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.  
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561  
Email: [sales@cleenol.co.uk](mailto:sales@cleenol.co.uk)  
[www.cleenol.co.uk](http://www.cleenol.co.uk)



Certificate No. 316



Certificate No. E3539

- Ensure the cap is tightly fitted after use
- Keep out of reach of children

# CLEENOL

## PRODUCT USE GUIDE FOR DESCALER & TARNISH REMOVER K13

### Shelf Life

- Shelf life 24 months if stored as recommended.
- Use within 6 months of opening.

### Environmental

- Neat product will cause damage to plant and animal life.
- Do not allow large quantities of neat product to enter surface waterways.
- In the event of a large spillage, contact the local water authority or Environment Agency immediately.
- This product uses recyclable packaging. The detergents used in the formulation are biodegradable to EU guidelines under the detergents regulations (EC) No 648/2004.
- It contains no Phosphates.
- None of the components of this product are animal derived.

For further information please scan your QR Smart Reader here



### Code Nos.

010392X5      2x5L



### Cleenor Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.  
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561  
Email: [sales@cleenor.co.uk](mailto:sales@cleenor.co.uk)  
[www.cleenor.co.uk](http://www.cleenor.co.uk)



Certificate No. 316



Certificate No. E3539

## Data Sheet No. K13

Note: This product is only to be used for the purpose for which it was intended and in accordance with the specified instructions. This product should never be mixed with other chemical products and should be handled with care and stored carefully out of reach of children.

# CLEENOL



### Cleenol Group Ltd

Beaumont Road, Banbury, Oxon, OX16 1RB. UK.  
Tel: +44 (0) 1295 251721 Fax: +44 (0) 1295 269561  
Email: [sales@cleenol.co.uk](mailto:sales@cleenol.co.uk)  
[www.cleenol.co.uk](http://www.cleenol.co.uk)



Certificate No. 316



Certificate No. E3539

